EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"5751267".pn.	US-PGPUB; USPAT	OR	OFF	2006/10/11 13:51
S3	1	"20020109655"	US-PGPUB; USPAT	OR	OFF	2006/01/09 13:36
S4	784	transmissive adj mode and reflective adj mode and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:08
S5	875	transmissive adj mode and reflective adj mode and (LCD "liquid crystal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:08
S6	554	transmissive adj mode and reflective adj mode and (LCD "liquid crystal") and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:08
S7	71	(change switch) same transmissive adj mode same reflective adj mode and (LCD "liquid crystal") and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:26
S8	19	(change switch) same transmissive adj mode same reflective adj mode and (LCD "liquid crystal") and voltage and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:26
S9	5	("5828471" | "5986730" | "5995180" | "5999240").PN. OR ("6147734"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 11:34
S10	36	flicker and transmissive adj mode and reflective adj mode and memory and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 11:41
S11	0	flicker and mode near6 chage and (LCD "liquid crystal") and memory and common adj electrode same voltage near5 control$4	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:42
S12	0	flicker and mode near6 chage and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:42
S13	502	flicker and mode near6 (chage switch) and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:42
S14	402	flicker and mode near6 (chage switch) and (LCD "liquid crystal") and memory	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:43

S15	24	flicker and mode near6 (chage switch) and (LCD "liquid crystal") and memory and common adj electrode	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:51
S19	751	common adj electrode and voltage same shift and mode and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:53
S20	217	common adj electrode and voltage same shift$4 same mode and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/09 11:53
S21	61	common adj electrode and voltage same shift$4 same mode and (LCD "liquid crystal") and memory	US-PGPUB; USPAT	OR	OFF	2006/01/09 12:00
S22	2	flicker near4 correction same mode and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/09 12:00
S23	10	("5280279" | "5298892" | "5436747" | "5483256").PN. OR ("5751267"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 12:01
S24	1	"6731259".pn.	US-PGPUB; USPAT	OR	OFF	2006/01/09 13:37
S25	5	("5088806" | "6121950" | "6137462" | "6388716" | "6593934").PN. OR ("6731259").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 13:39
S26	1237	345/98.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 13:40
S27	203	345/98.ccls. and flicker	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 13:40
S28	63	345/98.ccls. and flicker and common adj electrode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 13:40
S29	35	345/98.ccls. and flicker and common adj electrode and memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 13:53
S30	39	common adj voltage near5 mode and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 13:53
S31	17	common adj voltage near5 mode and (LCD "liquid crystal") and memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:23
S32	5928	digital adj signal and stor$4 and center and amplitude and calculation	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:23
S33	4947	digital adj signal and stor$4 and center and amplitude and calculation and memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:23

EAST Search History

S34	2823	digital adj signal and stor$4 and center and amplitude and calculation and memory and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:24
S35	14	digital adj signal and stor$4 and center same amplitude same calculation and memory and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:49
S36	188	327/106.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:49
S37	104	327/106.ccls. and amplitude	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:49
S38	18	327/106.ccls. and amplitude and center	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:51
S39	19	327/106.ccls. and amplitude and average	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:55
S40	31	327/106.ccls. and amplitude and offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:52
S41	28	327/106.ccls. and amplitude and parameters	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:57
S42	31	327/106.ccls. and amplitude and offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:57
S43	12	327/106.ccls. and amplitude and offset and parameters	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:57
S44	6	327/106.ccls. and amplitude same offset and parameters	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:59
S45	627	327/165.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 14:59
S46	82	327/165.ccls. and parameter$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:00
S47	2	327/165.ccls. and parameter$2 and amplitude same offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:01
S48	192	327/164.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:01

EAST Search History

S49	22	327/164.ccls. and parameter$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:01
S50	12	327/164.ccls. and parameter$2 and amplitude	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:01
S51	0	327/164.ccls. and parameter$2 and amplitude and offest	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:01
S52	1	327/164.ccls. and parameter$2 and amplitude and offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:01
S53	1553	327/172.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:02
S54	24	327/172.ccls. and amplitude same offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:03
S55	4171	digital adj clock	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:03
S56	1704	digital adj clock and (encoding storing)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:04
S57	15	digital adj clock and (encoding storing) and amplitude near6 offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:05
S58	6	digital adj clock same (encoding storing) and amplitude near6 offset	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:05
S60	37	digital adj clock near10 (encoding storing)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:05
S61	10	digital adj clock near10 (encoding storing) and parameters	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:08
S62	122	345/178.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 15:08
S63	1	"10/660567"	US-PGPUB; USPAT	OR	OFF	2006/01/10 09:38
S64	1	"6115018".pn.	US-PGPUB; USPAT	OR	OFF	2006/01/10 09:40
S65	1337	common adj electrode and (LCD "liquid crystal") and common adj voltage	US-PGPUB; USPAT	OR	OFF	2006/01/10 09:41

EAST Search History

S66	79	common adj electrode and (LCD "liquid crystal") and common adj voltage same levels	US-PGPUB; USPAT	OR	OFF	2006/01/10 09:41
S67	16	common adj electrode and (LCD "liquid crystal") and common adj voltage same levels and memory	US-PGPUB; USPAT	OR	OFF	2006/01/10 10:00
S68	4	common adj electrode and (LCD "liquid crystal") and common adj voltage same levels and memory and modes	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:36
S69	365	common adj electrode near6 voltage same mode and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/10 10:00
S71	11	common adj electrode near6 voltage near10 mode same level$2 and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/01/10 10:01
S72	4	"295164"	JPO; DERWENT	OR	OFF	2006/10/11 13:53
S77	179	(LCD "liquid crystal") and variable adj resistor and flicker	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 13:54
S78	47	(LCD "liquid crystal") and variable adj resistor and flicker and common adj electrode	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 15:37
S80	348	(LCD "liquid crystal") and memory and flicker and common adj electrode	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 13:59
S81	192	(LCD "liquid crystal") and memory and flicker and (common counter) adj electrode and voltage same shift$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:04
S82	84	(LCD "liquid crystal") and (memory LUT table) near6 voltage$2 and flicker and (common counter) adj electrode and voltage same shift$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:05

EAST Search History

S83	86	(LCD "liquid crystal") and (memory LUT table) near6 voltage$2 and flicker and (common counter) adj electrode and voltage$2 same shift$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:12
S84	68	(LCD "liquid crystal") and (memory LUT table) near6 voltage$2 and flicker and (common counter) adj electrode and voltage$2 same shift$4 and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:33
S85	29	(LCD "liquid crystal") and (memory LUT table) near6 voltage$2 and flicker and (common counter) adj electrode and voltage$2 same shift$4 and mode$2 and center same voltage$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:34
S86	132	common adj electrode near6 voltage near10 mode and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/11/03 10:43
S87	48	(LCD "liquid crystal") and transflective and (source signal) near2 electrode and flicker$4	US-PGPUB; USPAT	OR	OFF	2006/11/03 11:23
S88	1844	345/98.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 10:48
S90	336	345/98.ccls. and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 10:48
S91	167	345/98.ccls. and flicker$4 and mode	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 11:21
S92	4	(("6084562") or ("6005543") or ("4955697") or ("5831707")).PN.	USPAT; USOCR	OR	OFF	2006/11/03 11:22
S93	540	(LCD "liquid crystal") and transflective and (source signal) near2 electrode	US-PGPUB; USPAT	OR	OFF	2006/11/03 11:23

S94	413	(LCD "liquid crystal") and transflective and (source signal) near2 electrode and (common counter) near2 electrode	US-PGPUB; USPAT	OR	OFF	2006/11/03 11:23
S95	488	(LCD "liquid crystal") and transflective and (source signal) near2 electrode$2 and (common counter) near2 electrode$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:03
S96	342	(LCD "liquid crystal") and transflective and (source signal) near2 electrode$2 and (common counter) near2 electrode$2 and mode	US-PGPUB; USPAT	OR	OFF	2006/11/03 11:23
S97	348	(LCD "liquid crystal") and transflective and (source signal) near2 electrode$2 and (common counter) near2 electrode$2 and mode$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 11:24
S98	4	("5416496" | "6014195" | "6130728" | "6147735").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 11:38
S99	3	("6462724").PN. OR ("6768481"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 11:54
S100	8	("5416496" | "6014195" | "6130728" | "6147735").PN. OR ("6462724"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 11:54
S101	11	("4909602" | "5640259" | "5708454" | "5734454" | "5835170" | "6005542" | "6046790" | "6144353" | "6317113" | "6333770" | "6462724").PN. OR ("6738107"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 14:17
S102	656	(LCD "liquid crystal") and transflective and voltage$2 same mode$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:03
S103	349	(LCD "liquid crystal") and transflective and voltage$2 same mode$2 and (common counter) near3 electrode$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:03
S104	201	(LCD "liquid crystal") and transflective and voltage$2 same mode$2 and (common counter) near3 electrode$2 and (signal source) near3 electrode$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:04

S10 5	76	(LCD "liquid crystal") and transflective and voltage$2 same mode$2 and (common counter) near3 electrode$2 and (signal source) near3 electrode$2 same voltage$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:04
S10 6	100	(LCD "liquid crystal") and transflective and voltage$2 same mode$2 and (common counter) near3 electrode$2 and (signal source data scanning) near3 electrode$2 same voltage$2	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:24
S10 7	822	voltage$2 same (common counter) near3 electrode$2 and voltage$2 same (source signal) near3 electrode$2 and mode$2 and (LCD "liquid crystal") and voltage$2 same (center middle offset)	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:26
S10 8	302	voltage$2 same (common counter) near3 electrode$2 and voltage$2 same (source signal) near3 electrode$2 and mode$2 and (LCD "liquid crystal") and voltage$2 same (center middle offset) and flicker$4	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:30
S10 9	80	voltage$2 same (common counter) near3 electrode$2 and (offset correct$4 center middle) same voltage$2 same (source signal) near3 electrode$2 and mode$2 and (LCD "liquid crystal") and flicker$4	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:31
S11 0	1	voltage$2 same (common counter) near3 electrode$2 and (offset correct$4 center middle) same voltage$2 same (source signal) near3 electrode$2 and mode$2 and (LCD "liquid crystal") and flicker$4 and transflective	US-PGPUB; USPAT	OR	OFF	2006/11/03 15:31
S11 1	12	(LCD "liquid crystal") and variable adj resistor and flicker and (scan scanning signal) adj electrode	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 15:37
S11 2	12	("5283477" | "5537129" | "5764210" | "5798741" | "5831605" | "5841410" | "6229510" | "6300926" | "6346932" | "6392626" | "6529179" | "6567064").PN. OR ("6822632").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 16:55

S11 3	765	345/94.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 16:55
S11 4	254	345/94.ccls. and flicker$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 17:01
S11 5	144	345/94.ccls. and flicker$4 and mode$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/03 17:01
S11 6	262	345/98.ccls. and flicker	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:01
S11 7	19	("5402142").URPN.	USPAT	OR	OFF	2006/11/07 16:33
S11 8	780	(LCD "liquid crystal") and (signal scan) near3 (electrode waveform) same (middle center DC offset) with voltage	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:30
S11 9	214	(LCD "liquid crystal") and (signal scan) near3 (electrode waveform) same (middle center DC offset) with voltage and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:30
S12 0	250	(LCD "liquid crystal") and (signal scan) near3 (electrode$2 waveform$2) same (middle center DC offset) with voltage and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:30
S12 1	253	(LCD "liquid crystal") and (signal scan) near3 (electrode$2 waveform$2) same (middle center DC offset) with voltage$2 and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31
S12 2	513	(LCD "liquid crystal") and (signal scan) near3 (electrode$2 waveform$2) same (middle center DC offset) with voltage$2 and (transflective mode$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31

S12 3	154	(LCD "liquid crystal") and (signal scan) near3 (electrode$2 waveform$2) same (middle center DC offset) with voltage$2 and (transflective mode$2) and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31
S12 4	0	"5402142.p.n"	USPAT	OR	OFF	2006/11/07 16:33
S12 5	1	"5402142".pn.	USPAT	OR	OFF	2006/11/07 16:33
S12 6	1146	345/92.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 12:54
S12 7	350	345/92.ccls. and (flicker$4 (parasitic stray) near3 capacitance)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:22
S12 8	13	345/92.ccls. and (flicker$4 (parasitic stray) near3 capacitance) and (transflective dual-mode (transmissive and reflective))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 12:59
S12 9	112	(LCD "liquid crystal") and (common counter) near3 electrode$2 and compensation adj2 voltage$2 and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:00
S13 0	32	(LCD "liquid crystal") and (common counter) near3 electrode$2 same compensation adj2 voltage$2 and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:01
S13 1	16	(LCD "liquid crystal") and (common counter) near3 electrode$2 same compensation adj2 voltage$2 and mode$2 and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:11

S13 4	1	"3183995".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:11
S13 5	3350	kumada.in.	JPO; DERWENT	OR	OFF	2006/11/09 13:11
S13 6	50	kumada.in. and nakamura.in.	JPO; DERWENT	OR	OFF	2006/11/09 13:11
S13 7	10	kumada.in. and nakamura.in. and display	JPO; DERWENT	OR	OFF	2006/11/09 13:21
S13 8	14719247	JP "06295164" A	DERWENT	OR	OFF	2006/11/09 13:17
S14 2	1	"05083452"	US-PGPUB; USPAT	OR	OFF	2006/11/09 13:18
S14 3	1	"06295164"	US-PGPUB; USPAT	OR	OFF	2006/11/09 13:18
S14 4	6	"6295164"	US-PGPUB; USPAT	OR	OFF	2006/11/09 13:18
S14 5	23	345/92.ccls. and (variable adj resistor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 13:50
S14 8	66705	(transflective (transmissive and reflective)) and (LCD "liquid crystal") and display and (counter common) nera3 electrode$2 same (middle center offset DC match$5) and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 14:09
S14 9	262	(transflective (transmissive and reflective)) and (LCD "liquid crystal") and display and (counter common) near3 electrode$2 same (middle center offset DC match$5) and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/14 16:01
S15 0	67	(transflective (transmissive and reflective)) and (LCD "liquid crystal") and display and (counter common) near3 electrode$2 same (middle center offset DC match$5) and mode$2 and flicker$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 14:09

S15 1	44	(transflective (transmissive and reflective)) and (LCD "liquid crystal") and display and (counter common) near3 electrode$2 same (middle center offset DC match$5) and mode$2 and flicker$4 and (memory table EEPROM RAM DRAM SRAM)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 14:40
S15 2	3	"counter voltage shift" and (LCD "liquid crystal") and memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 14:45
S15 3	35	"offset voltage" same memory and (LCD "liquid crystal") and display and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:44
S15 4	73	"offset voltage" same memory and (LCD "liquid crystal") and display	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:02
S15 5	4	"offset voltage" same memory and (LCD "liquid crystal") and display and (counter common) adj2 electrode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 14:46
S15 6	2	"10/244820"	US-PGPUB; USPAT	OR	OFF	2006/11/09 15:02
S15 7	8	("20020051104" | "4605977" | "4853810" | "5438342" | "5764324" | "5991883" | "6195140" | "6429842").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/09 21:26
S15 8	1	"6600465".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/09 21:26
S15 9	1	"7084849"	USPAT	OR	OFF	2007/04/30 11:19
S16 0	1	"7084849".pn.	USPAT	OR	OFF	2007/05/14 15:54
S16 1	8	("20020051104" | "4605977" | "4853810" | "5438342" | "5764324" | "5991883" | "6195140" | "6429842").PN. OR ("7084849"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/14 15:54

S162	106	("3748018" | "4218281" | "5003356" | "5146355" | "5530571" | "5585951" | "5680186" | "5753937" | "5771083" | "5808711" | "5822027" | "5841494" | "5847781" | "5847789" | "5907379" | "5920082" | "5926702" | "5978056").PN. OR ("6195140"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/14 15:58
S163	16629	(transflective (transmissive and reflective)) and (LCD "liquid crystal") and display	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/14 16:02
S164	42890	parasitic near3 capacitance OR gate-drain near3 capacitance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/14 16:02
S165	404	S163 and S164	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/14 16:02
S166	2415	(offset compenstaion) near3 voltage and (LCD "liquid crystal") and display	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:45
S167	512	(offset compenstaion) near3 voltage same electrode and (LCD "liquid crystal") and display	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:45
S168	296	(offset compenstaion) near3 voltage same electrode and (LCD "liquid crystal") and display and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:45
S169	90	(offset compenstaion) near3 voltage same (common source) near3 electrode and (LCD "liquid crystal") and display and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:45

S17 0	145	(offset compensation) near3 voltage same (common source) near3 electrode and (LCD "liquid crystal") and display and mode$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:45
S17 1	23	(offset compensation) near3 voltage same (common source) near3 electrode and (LCD "liquid crystal") and display and mode$2 and (offset compensation) near3 voltage same memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:51
S17 2	183	(offset compensation) near3 voltage and (LCD "liquid crystal") and display and mode$2 and (offset compensation) near3 voltage same memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 14:53
S17 3	4	"295164"	JPO; DERWENT	OR	OFF	2007/08/20 15:45
S17 4	1087	(LCD "liquid crystal") and (transflective OR (transmissive and reflective)) and flicker$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 15:46
S17 5	371	(LCD "liquid crystal") and (transflective OR (transmissive and reflective)) and flicker$4 and (source counter common) near3 electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 15:46
S17 6	251	(LCD "liquid crystal") and (transflective OR (transmissive and reflective)) and flicker$4 and (source counter common) near3 electrode same voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 15:46
S17 7	267	(LCD "liquid crystal") and (transflective OR (transmissive and reflective)) and flicker$4 and (data source counter common) near3 electrode same voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 15:47

EAST Search History

S178	32	(LCD "liquid crystal") and (transflective OR (transmissive and reflective)) and flicker$4 and (data source counter common) near3 electrode same voltage same (shift shiftable center)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/20 15:47
S179	1	"4955697".pn.	USPAT	OR	OFF	2008/01/31 14:02
S180	2	10/224820	US-PGPUB; USPAT	OR	OFF	2008/01/31 14:06
S181	2	10/244820	US-PGPUB; USPAT	OR	OFF	2008/01/31 14:06
S182	8	("20020051104" | "4605977" | "4853810" | "5438342" | "5764324" | "5991883" | "6195140" | "6429842").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/31 14:06

C:\Documents and Settings\sholton\My Documents\EAST\Workspaces\10660567.wsp

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	15	"saitou, kouji".in.	US-PGPUB; USPAT	OR	OFF	2008/02/01 14:50
L4	59	"yanagi, toshihiro".in.	US-PGPUB; USPAT	OR	OFF	2008/02/01 14:51
L5	26	"nakano, taketoshi".in.	US-PGPUB; USPAT	OR	OFF	2008/02/01 14:52
L6	13	(display and (common counter) near2 electrode and (source signal data) near2 electrode and (offset shift center near3 voltage) and mode$2).clm.	US-PGPUB; USPAT	OR	OFF	2008/02/01 14:53